

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Facility Information

RESULT: Satisfactory

Permit Number: 13-48-16779
Name of Facility: Finlay, Dr. Carlos J. Elementary/ Loc.# 5061
Address: 851 SW 117 Avenue
City, Zip: Miami 33184

Type: School (more than 9 months)
Owner: MDCPS
Person In Charge: Anelis Mendez Phone: (305)480-8557
PIC Email: 251205@dadeschools.net

Inspection Information

Purpose: Routine	Number of Risk Factors (Items 1-29): 0	Begin Time: 10:30 AM
Inspection Date: 4/8/2026	Number of Repeat Violations (1-57 R): 1	End Time: 11:35 AM
Correct By: Next Inspection	Facility Grade: N/A	
Re-Inspection Date: None	Stop Sale: No	

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN 1. Demonstration of Knowledge/Training
- NA 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN 3. Knowledge, responsibilities and reporting
- IN 4. Proper use of restriction and exclusion
- IN 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN 6. Proper eating, tasting, drinking, or tobacco use
- IN 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN 8. Hands clean & properly washed
- IN 9. No bare hand contact with RTE food
- IN 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN 11. Food obtained from approved source
- IN 12. Food received at proper temperature
- IN 13. Food in good condition, safe, & unadulterated
- NA 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN 15. Food separated & protected; Single-use gloves

- IN 16. Food-contact surfaces; cleaned & sanitized

- IN 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN 18. Cooking time & temperatures
- IN 19. Reheating procedures for hot holding
- IN 20. Cooling time and temperature
- IN 21. Hot holding temperatures
- IN 22. Cold holding temperatures
- IN 23. Date marking and disposition
- IN 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN 27. Food additives: approved & properly used
- IN 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT**



Good Retail Practices

SAFE FOOD AND WATER	
<u>IN</u> 30. Pasteurized eggs used where required	<u>IN</u> 46. Slash resistant/cloth gloves used properly
<u>IN</u> 31. Water & ice from approved source	UTENSILS, EQUIPMENT AND VENDING
<u>NA</u> 32. Variance obtained for special processing	<u>OUT</u> 47. Food & non-food contact surfaces (R)
FOOD TEMPERATURE CONTROL	<u>IN</u> 48. Ware washing: installed, maintained, & used; test strips
<u>IN</u> 33. Proper cooling methods; adequate equipment	<u>IN</u> 49. Non-food contact surfaces clean
<u>IN</u> 34. Plant food properly cooked for hot holding	PHYSICAL FACILITIES
<u>NO</u> 35. Approved thawing methods	<u>IN</u> 50. Hot & cold water available; adequate pressure
<u>IN</u> 36. Thermometers provided & accurate	<u>IN</u> 51. Plumbing installed; proper backflow devices
FOOD IDENTIFICATION	<u>IN</u> 52. Sewage & waste water properly disposed
<u>IN</u> 37. Food properly labeled; original container	<u>IN</u> 53. Toilet facilities: supplied, & cleaned
PREVENTION OF FOOD CONTAMINATION	<u>OUT</u> 54. Garbage & refuse disposal
<u>IN</u> 38. Insects, rodents, & animals not present	<u>IN</u> 55. Facilities installed, maintained, & clean
<u>IN</u> 39. No Contamination (preparation, storage, display)	<u>OUT</u> 56. Ventilation & lighting
<u>IN</u> 40. Personal cleanliness	<u>IN</u> 57. Permit; Fees; Application; Plans
<u>IN</u> 41. Wiping cloths: properly used & stored	
<u>IN</u> 42. Washing fruits & vegetables	
PROPER USE OF UTENSILS	
<u>IN</u> 43. In-use utensils: properly stored	
<u>IN</u> 44. Equipment & linens: stored, dried, & handled	
<u>IN</u> 45. Single-use/single-service articles: stored & used	

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

<p>Violation #47. Food & non-food contact surfaces -Observed out-of-order under serving line mini fridge. Repair/replace. Per PIC, it is not cooling properly. Work order in place.[This is a repeat violation from las routine inspection 10/30/25]</p> <p>-Observed out-of-order cold serving line, TAG#1004094. Repair/replace. Per PIC, there is a work order in place.</p> <p>CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.</p>
<p>Violation #54. Garbage & refuse disposal Observed 6yd outside recycling dumpster with corroded and broken bottom. Replace. CODE REFERENCE: 64E-11.003(5). Garbage shall be disposed of to prevent vector harborage. Trash cans will be durable, cleanable, leak proof, insect and rodent resistant, and non-absorbent. Outside storage area shall be of a smooth, non-absorbent material and sloped to a drain.</p>
<p>Violation #56. Ventilation & lighting -Observed 1 burned-out underhood light. Replace. -Observed burned out lights inside the dry storage room. Replace. CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers.</p>

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



General Comments

Hot water temperature at: handwashing sink 121F, wash sink 113F, employee restroom sink 117F, mop sink 111F.
Sanitizer concentration/water temperature: 200ppm (QAT)/75F

Walk-in cooler temperature 40F, walk-in freezer 4F, refrigerator 39F, milk box 41F

Food temperature:

milk/milk box: 40F

Hot serving line: mozzarella stick 154F, chicken yellow rice 167F, fried plantains 160F

Warmer: mozzarella sticks 150F, sweet plantains 147F

Walk-in cooler: cheese sauce 32F (thawing), milk 37F, chicken nuggets 39F, strawberry/banana yogurt 39F

Note:

Classic Thermapen digital thermometer used to measure food and water temperatures at the time of this inspection.

Email Address(es): 251205@dadeschools.net;
madelynr@dadeschools.net

Inspection Conducted By: Venus Fernandez (82515)
Inspector Contact Number: Work: (305) 623-3516 ex.
Print Client Name: Mrs. Rodriguez-Principal
Date: 4/8/2026

Inspector Signature:

Client Signature: